

Pooltest 9 Professional



The Pooltest 9 Professional Pool Photometer builds on the phenomenal success of its predecessor the Pooltest 9, with the same ease of use that made its predecessor the best selling pool photometer in the world.

The Pooltest 9 professional also features:

- Fully waterproof to IP67 standard
- Large fully backlit LCD screen for ease of use
- Unique adaptive sample holder
- Fully automatic wavelength selection
- Just press the parameter key and the method is set up.

Fast and easy to use the results are displayed in mg/l or ppm. It measures all the routine pool parameters, all disinfectants, balanced water tests, and is fully integrated with the world renowned Palintest tablet test reagents.

Code	Description
SP790	The kit comes complete with 20 tests each for Free and Total Chlorine, Ozone, pH (Phenol Red) and Copper, plus 10 tests each for Alkalinity, Calcium Hardness and Cyanuric Acid. The kit includes 4 photometer test tubes and is supplied in a hard plastic carry case.
PT595/5	Round Test Tubes for Photometer, 10 ml glass (Pack of 5)
PT524/5	Plastic Photometer Tubes (Pack of 5)

REAGENT

Code	Range (mg/L)	Test	Description
AP188	0 - 500 (CaCO ₃)	Alkalinity Total (Alkaphot)	Replacement Reagent Pack (250 tests)
AP060	0 - 10	Bromine	Replacement Reagent Pack (250 tests)
AP252	0 - 500 (CaCO ₃)	Calcium Hardness (Calcicol)	Replacement Reagent Pack (250 tests)
AP031	0 - 5.0	Chlorine (DPD 1 and 3) Free and Combined	Replacement Reagent Pack (250 tests)
AP011	0 - 2	Chlorine (DPD No 1) Free Chlorine	Replacement Reagent Pack (250 tests)
AP187	0 - 5.0	Copper (Coppercol - Free)	Replacement Reagent Pack (250 tests)
AP087	0 - 200	Cyanuric Acid combined and total)	Replacement Reagent Pack (250 tests)
AP056	0 - 2.0	Ozone	Replacement Reagent Pack (250 tests)
AP130	6.8 - 8.4	pH (Phenol Red)	Replacement Reagent Pack (250 tests)

TECHNICAL SPECIFICATIONS

INSTRUMENT TYPE	Direct reading colorimeter with automatic set up
OPERATING WAVELENGTHS	500nm, 575nm
DISPLAY	Large backlit graphic LCD screen
USER SELECTABLE OPTIONS	Display language (French, German, Spanish, English, Italian) Test units mg/l or ppm
ACCURACY	+/- 0.003 at 0.3au
RESOLUTION	0.001au
TEST CELLS	Automatic adjustment for round test tubes from 12-20mm
POWER	Battery - 3 x AA
SIZE AND WEIGHT	w 146mm d 275mm h 75mm 975g
INSTRUMENT RATING	Waterproof (IP67)
PROGRAMMED TESTS	Free Chlorine, Total Chlorine, pH, Cyanuric Acid, Alkalinity, Ozone, Calcium Hardness